

**How is the Gallery™ Collection constructed?**

The Gallery™ Collection is all steel and is constructed similar to a PAN door. The hot dipped 24 gauge galvanized steel has a baked-on primer and topcoat and is woodgrain embossed for beautiful, long-lasting performance. The stiles are galvanized and attached to the steel face using the durable/rust resistant Tog-L-Loc™ attachment method.

**What appearance options are available?**

The panels are stamped to create a carriage house style design with deep vertical lines and beautiful larger defined panels. There are short (G4S) and long (G4L) panel options. The G4S has four panels on a 9' wide and eight on a 16' wide door. The G4L has two panels on 9' and four on 16' wide doors. (See Panel Chart on page GC3). Doors can be ordered with a long panel in the top section and short below or short in the top section and long below.

The panel emboss is slightly offset from the top to the bottom in the section, allowing for additional room for the top stop molding.

The panels are positioned horizontally on the door to create the look of a swing out carriage style door; therefore, center stiles are wider, allowing for a double set of handles or decorative locks. Some stile widths are not wide enough to allow for two handles, and in those sizes, one handle can be installed. See decorative handles below for specific sizes.

**What sizes are available?**

Widths range from 6'2" to 20'0" on the G4S and 7'8" to 20'0" on the G4L and are in 2" increments. Widths not available are 10'2" through 11'4" and 14'8".

Heights range from 6' to 12' in 3" increments. Section heights are 21" and 24" (18" is not available). Heights not available are 6'3", 6'6", 6'9", 8'3", 8'6" and 10'3".

See Window and Panel Combinations illustration for section placement.

**Is insulation available?**

Yes, 1-5/16" polystyrene insulation with a vinyl backer is an option. It is "laid in", not bonded to the exterior. The R-Value is 6.3. The letter "V" is used to designate the insulated door model (G4SV, G4LV).

**What windows are available?**

One of the most desirable features of the Gallery Collection is the selection of window options. Windows are available in the short, long and three arched styles, with and without grilles. All windows are cut from a flush section, creating a larger viewing area and authentic arched designs. Glass options include 1/8" DSB or obscure.

Square grilles are available in the short and long windows. Rectangular grilles are available in the long window option.

Grilles "fit" into the outside frame for easy installation, to clean the glass or change designs. The grilles are factory installed.

Long and arched windows can be combined with short panels or short windows with long panels to create many different appearance options. Long windows over the G4S (short panel) are not available in 6'2" to 7'6" widths.

The window frames screw in from the inside, making glass replacement easy.

All window frames are UV resistant, color-matched with a woodgrain texture and have a 10 year limited warranty. See Arched drawings on page GC4-GC5 for dimension details.

Window sections are not available with less than a full set of windows.

Windows are not available in 14'10" and 15'4" widths.

See Ordering Coding Options Page for window coding.

Glass sizes are provided in the installation manual.

### **What colors are available?**

Gallery is finish painted in white, almond and sandtone and can be painted to match the home's exterior.

### **Are gripping handles and step plates standard?**

Yes, the Gallery Collection is standard with black powder coated exterior decorative handles and step plates and two interior gripping handles. One set (two spade handles and one step plate for the exterior and two roll grip handles for the interior) is standard on single doors and two sets on double doors. The panel emboss spacing on specific widths are not wide enough for two handles and in those widths one handle is standard on single doors and two on double. Widths affected are 6'2", 6'4", 6'6", 7'8", 7'10", 11'6", 11'8", 11'10", 14'10", 15'0", 15'2", 15'4", 15'6", 15'8", 15'10", 19'2", 19'4", 19'6", 19'8", 19'10" and 20'0".

See below for locks.

### **Are outside keyed locks available?**

Yes. The Gallery Collection comes standard with the inside slide lock and outside keyed locks are an option.

Optional outside keyed locks include new snap latch decorative carriage house style locks in two designs. One is the "L" snap latch and is available on most sizes. It comes with a dummy handle to give it the carriage style design. On double doors, there is one "L" lock, one dummy handle and two "L" dummy handles. Use the "D" code to order for double doors and the "L" code for single doors.

The other "T" lock is used on the doors with less space between the panel emboss spacing. Those sizes are listed in the question above.

Keyed alike option is available on the "L" and "T" locks. Master key is not available on these locks.

An escutcheon plate can be added to give a more decorative appearance.

Other lock options include the #3 lock bar and #1 snap latch.

Lock holes can be factory punched.

See page GC17 for lock illustrations.

See code sheet for locks.

**What decorative hardware is available?**

Gallery is available with black decorative strap hinges. These are easily installed using a drill and push pins. They have the same “crinkle” finish as the lift handles/step plate and new “L” and “T” locks. The dummy “L” handle can also be used as an alternative to the standard spade handle.

**Is the Gallery Collection available in WINDCODE®?**

Initially the Gallery Collection will be available in W4, W5 and W6 in 7' heights, solid doors only. Short windows, additional sizes and WINDCODE® levels will be available in July/August 2005. Up to W5 will be available with the insulation option. See the WINDCODE® pages for more details.

**What are the hardware specifications?**

18 gauge hinges and Safe-T-Bracket® are standard. See the Strutting Chart on page GC3 for strutting specifications.

Rollers are standard nylon for smooth, quiet operation.

Track radius options include 10", 12", 15" and 32". Low headroom and straight incline track up to 18" of high lift are also available.

**Is springing different?**

Generally no. Gallery doors with windows are sprung to accommodate the heavier top section. Spring charts will be posted on Clopaydealer.com. Spring options include galvanized torsion springs, extension springs and EZ-Set™ Spring Systems. All extension springs come with safety containment cables.

**How is the Gallery Collection packaged?**

Same sized section heights will be packaged together. The sections will be face-to-face with micro foam between sections, cardboard wrapped, banded and shrink wrapped. Bundles will not weigh more than 150 pounds each.

Individual sections will be cardboard wrapped, banded and shrink wrapped.

See Packaging Chart on page GC3.

**Are there different ordering instructions for the Gallery Collection?**

Generally no. Use the window and lock codes for ordering those specific new items. Please note outside keyed locking is not standard; therefore, there is no lock deduct.

**Is installation different than other steel doors?**

No, door installation is the same as other Clopay steel doors. The new lock and decorative hardware installation is different and included with those parts.

**What is the Warranty?**

The G4S/L G4S/L V Limited Warranty is lifetime on the paint system for rust through, three years on the hardware and ten years on the windows for discoloration.